



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/20/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:30
In Date: 11/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:50
Out Date: 11/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133510

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4912-01	MBHHJ1	1	1.15	8.82	9.97	7.64	73.6	
P4912-02	MBHHJ2	2	1.18	8.45	9.63	7.82	78.6	
P4912-03	MBHHJ3	3	1.15	8.56	9.71	7.76	77.2	
P4912-04	MBHHJ4	4	1.15	8.81	9.96	8.08	78.7	
P4912-05	MBHHJ4D	5	1.15	8.81	9.96	8.08	78.7	
P4912-06	MBHHJ4S	6	1.15	8.81	9.96	8.08	78.7	
P4912-07	MBHHJ5	7	1.19	8.52	9.71	7.48	73.8	
P4912-08	MBHHJ6	8	1.16	8.80	9.96	7.83	75.8	
P4912-09	MBHHJ7	9	1.13	8.46	9.59	8.2	83.6	
P4912-10	MBHHJ8	10	1.14	8.83	9.97	7.88	76.3	
P4912-11	MBHHJ9	11	1.17	8.57	9.74	7.68	76.0	
P4912-12	MBHHK0	12	1.13	8.45	9.58	7.78	78.7	
P4912-13	MBHHK1	13	1.19	8.42	9.61	7.63	76.5	
P4912-14	MBHHK2	14	1.13	8.60	9.73	7.8	77.6	
P4912-15	MBHHK3	15	1.13	8.45	9.58	7.7	77.8	
P4912-16	MBHHL8	16	1.15	8.59	9.74	7.79	77.3	
P4912-17	MBHHL9	17	1.15	8.48	9.63	8.41	85.6	
P4912-18	MBHHM0	18	1.17	8.69	9.86	8.76	87.3	
P4912-19	MBHHM1	19	1.15	8.74	9.89	8.86	88.2	
P4912-20	MBHHM2	20	1.15	8.38	9.53	7.68	77.9	
P4912-21	MBHHM3	21	1.15	8.54	9.69	7.8	77.9	
P4912-22	MBHHM4	22	1.18	8.56	9.74	7.85	77.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$