



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/20/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:50
In Date: 11/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 11/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133512

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4914-01	MBHHF2	1	1.18	8.45	9.63	8.34	84.7	
P4914-02	MBHHF3	2	1.12	8.55	9.67	8.73	89.0	
P4914-03	MBHHF4	3	1.16	8.43	9.59	8.73	89.8	
P4914-04	MBHHF5	4	1.18	8.51	9.69	7.22	71.0	
P4914-05	MBHHF6	5	1.15	8.81	9.96	8.43	82.6	
P4914-06	MBHHF7	6	1.18	8.57	9.75	8.18	81.7	
P4914-07	MBHHF8	7	1.16	8.63	9.79	8.13	80.8	
P4914-08	MBHHF9	8	1.16	8.53	9.69	8.34	84.2	
P4914-09	MBHHG0	9	1.15	8.79	9.94	8.26	80.9	
P4914-10	MBHHG1	10	1.15	8.83	9.98	8.08	78.5	
P4914-11	MBHHK4	11	1.17	8.61	9.78	6.96	67.2	
P4914-12	MBHHK4D	12	1.17	8.61	9.78	6.96	67.2	
P4914-13	MBHHK4S	13	1.17	8.61	9.78	6.96	67.2	
P4914-14	MBHHK5	14	1.13	8.84	9.97	7.54	72.5	
P4914-15	MBHHK6	15	1.18	8.64	9.82	7.64	74.8	
P4914-16	MBHHK7	16	1.15	8.40	9.55	7.47	75.2	
P4914-17	MBHHK8	17	1.18	8.70	9.88	7.49	72.5	
P4914-18	MBHHK9	18	1.16	8.42	9.58	7.43	74.5	
P4914-19	MBHHL0	19	1.15	8.40	9.55	7.71	78.1	
P4914-20	MBHHL1	20	1.15	8.83	9.98	7.73	74.5	
P4914-21	MBHHL2	21	1.19	8.66	9.85	7.77	76.0	
P4914-22	MBHHL3	22	1.18	8.38	9.56	8.22	84.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$