

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB133576

Slope : 98.6

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3107
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3094
buffer solution pH 7 yellow	W3071
Buffer Solution, PH2 (500ml)	W3005
Buffer Solution, PH12 (500ml)	W3072

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.3	4.01	11/22/2024	10:30
2	CAL2	1	Water	NA	NA	20.3	7.00	11/22/2024	10:31
3	CAL3	1	Water	NA	NA	20.3	10.02	11/22/2024	10:33
4	ICV	1	Water	NA	NA	20.2	7.01	11/22/2024	10:35
5	CCV1	1	Water	NA	NA	20.3	2.01	11/22/2024	10:40
6	P4951-01	1	Solid	20.02	20	24.7	6.55	11/22/2024	10:50
7	P4951-01DUP	1	Solid	20.03	20	24.8	6.56	11/22/2024	10:51
8	CCV2	1	Water	NA	NA	20.3	12.02	11/22/2024	11:00

133576

WORKLIST(Hardcopy Internal Chain)

WorkList Name : ph p4951

WorkList ID : 185689

Department : Wet-Chemistry

Date : 11-22-2024 10:19:00

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4951-01	AU-05-112124	Solid	pH	Cool 4 deg C	PSEG05	L61	11/21/2024	9045D

Date/Time 11.22.24 10.25

Raw Sample Received by: HR WRC

Raw Sample Relinquished by: [Signature]

Date/Time 11.22.24

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]