



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/25/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:50
In Date: 11/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133583

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4963-01	MBHHZ4	1	1.18	8.52	9.7	7.92	79.1	
P4963-02	MBHHZ5	2	1.16	8.50	9.66	8.38	84.9	
P4963-03	MBHHZ6	3	1.15	8.63	9.78	8.54	85.6	
P4963-04	MBHHZ7	4	1.15	8.76	9.91	8.56	84.6	
P4963-05	MBHHZ8	5	1.12	8.64	9.76	8.54	85.9	
P4963-06	MBHHZ9	6	1.15	8.78	9.93	8.74	86.4	
P4963-07	MBHJ00	7	1.16	8.53	9.69	8.91	90.9	
P4963-08	MBHJ06	8	1.14	8.73	9.87	8.25	81.4	
P4963-09	MBHJ07	9	1.15	8.82	9.97	8.68	85.4	
P4963-10	MBHJ08	10	1.18	8.44	9.62	8.64	88.4	
P4963-11	MBHJ09	11	1.19	8.50	9.69	8.61	87.3	
P4963-12	MBHJ10	12	1.15	8.37	9.52	8.43	87.0	
P4963-13	MBHJ11	13	1.15	8.40	9.55	8.53	87.9	
P4963-14	MBHJ12	14	1.19	8.62	9.81	8.74	87.6	
P4963-15	MBHJ13	15	1.15	8.80	9.95	9.14	90.8	
P4963-16	MBHJ13D	16	1.15	8.80	9.95	9.14	90.8	
P4963-17	MBHJ13S	17	1.15	8.80	9.95	9.14	90.8	
P4963-18	MBHJ14	18	1.16	8.50	9.66	9.27	95.4	
P4963-19	MBHJ15	19	1.17	8.61	9.78	9.41	95.7	
P4963-20	MBHJ16	20	1.15	8.84	9.99	9.55	95.0	
P4963-21	MBHJ17	21	1.14	8.40	9.54	9.19	95.8	
P4963-22	MBHJ18	22	1.15	8.66	9.81	8.99	90.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$