



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/26/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:15
In Date: 11/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:48
Out Date: 11/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133602

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4978-01	MBHJ49	1	1.18	8.64	9.82	8.97	90.2	
P4978-02	MBHJ49D	2	1.18	8.64	9.82	8.97	90.2	
P4978-03	MBHJ49S	3	1.18	8.64	9.82	8.97	90.2	
P4978-04	MBHJ50	4	1.13	8.60	9.73	8.74	88.5	
P4978-05	MBHJ51	5	1.15	8.40	9.55	9.18	95.6	
P4978-06	MBHJ52	6	1.15	8.81	9.96	9.44	94.1	
P4978-07	MBHJ53	7	1.18	8.76	9.94	9.55	95.5	
P4978-08	MBHJ54	8	1.16	8.63	9.79	9.11	92.1	
P4978-09	MBHJ55	9	1.16	8.61	9.77	9.09	92.1	
P4978-10	MBHJ63	10	1.18	6.76	7.94	7.04	86.7	
P4978-11	MBHJ64	11	1.18	8.47	9.65	8.69	88.7	
P4978-12	MBHJ65	12	1.19	8.60	9.79	8.88	89.4	
P4978-13	MBHJ77	13	1.14	5.86	7.00	5.97	82.4	
P4978-14	MBHJ78	14	1.16	8.61	9.77	8.39	84.0	
P4978-15	MBHJ79	15	1.19	8.71	9.9	9.17	91.6	
P4978-16	MBHJ80	16	1.12	8.76	9.88	9.17	91.9	
P4978-17	MBHJ81	17	1.18	8.47	9.65	8.9	91.1	
P4978-18	MBHJ82	18	1.13	8.70	9.83	9.14	92.1	
P4978-19	MBHJ83	19	1.17	8.39	9.56	8.91	92.3	
P4978-20	MBHJ98	20	1.16	8.81	9.97	8.38	82.0	
P4978-21	MBHJ99	21	1.14	8.57	9.71	8.17	82.0	
P4978-22	MBHJA0	22	1.13	8.75	9.88	8.02	78.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$