



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/27/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:50
In Date: 11/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133637

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4984-01	MBHJF5	1	1.18	8.44	9.62	8.8	90.3	
P4984-02	MBHJF6	2	1.12	8.75	9.87	8.99	89.9	
P4984-03	MBHJL8	3	1.15	8.59	9.74	7.94	79.0	
P4984-04	MBHJT2	4	1.15	8.40	9.55	8.38	86.1	
P4984-05	MBHJT3	5	1.16	8.40	9.56	7.00	69.5	
P4984-06	MBHJT1	6	1.15	8.81	9.96	8.85	87.4	
P4984-07	MBHJT4	7	1.16	8.76	9.92	8.85	87.8	
P4984-08	MBHJT5	8	1.14	8.81	9.95	8.93	88.4	
P4984-09	MBHJP6	9	1.12	8.69	9.81	8.86	89.1	
P4984-10	MBHJQ4	10	1.16	8.50	9.66	7.63	76.1	
P4984-11	MBHJQ5	11	1.19	8.71	9.9	8.32	81.9	
P4984-12	MBHJQ6	12	1.18	8.47	9.65	8.34	84.5	
P4984-13	MBHJQ7	13	1.18	8.42	9.6	7.98	80.8	
P4984-14	MBHJQ8	14	1.14	8.66	9.8	8.46	84.5	
P4984-15	MBHJQ9	15	1.19	8.57	9.76	8.43	84.5	
P4984-16	MBHJR0	16	1.18	8.49	9.67	8.32	84.1	
P4984-17	MBHJR1	17	1.19	8.66	9.85	7.12	68.5	
P4984-18	MBHJR2	18	1.15	8.77	9.92	7.57	73.2	
P4984-19	MBHJR3	19	1.15	8.82	9.97	8.22	80.2	
P4984-20	MBHJR3D	20	1.15	8.82	9.97	8.22	80.2	
P4984-21	MBHJR3S	21	1.15	8.82	9.97	8.22	80.2	
P4984-22	MBHJR4	22	1.17	8.60	9.77	8.49	85.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$