



**PERCENT SOLID**

Supervisor: Iwona  
 Analyst: jignesh  
 Date: 11/27/2024

OVENTEMP IN Celsius(°C): 107  
 Time IN: 16:10  
 In Date: 11/26/2024  
 Weight Check 1.0g: 1.00  
 Weight Check 10g: 10.00  
 OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
 Time OUT: 08:11  
 Out Date: 11/27/2024  
 Weight Check 1.0g: 1.00  
 Weight Check 10g: 10.00  
 BalanceID: M SC-4  
 Thermometer ID: % SOLID- OVEN

QC:LB133638

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P5007-01	MBHJW9	1	1.18	8.54	9.72	8.94	90.9	
P5007-02	MBHJX0	2	1.16	8.40	9.56	8.7	89.8	
P5007-03	MBHJX1	3	1.14	8.70	9.84	8.59	85.6	
P5007-04	MBHJX3	4	1.18	8.50	9.68	9.07	92.8	
P5007-05	MBHJX4	5	1.18	8.63	9.81	8.77	87.9	
P5007-06	MBHJX5	6	1.19	8.58	9.77	8.71	87.6	
P5007-07	MBHJZ4	7	1.15	8.63	9.78	7.56	74.3	
P5007-08	MBHJZ5	8	1.14	8.66	9.8	8.02	79.4	
P5007-09	MBHJZ6	9	1.14	8.72	9.86	8.32	82.3	
P5007-10	MBHJZ7	10	1.17	8.41	9.58	7.91	80.1	
P5007-11	MBHJZ7D	11	1.17	8.41	9.58	7.91	80.1	
P5007-12	MBHJZ7S	12	1.17	8.41	9.58	7.91	80.1	
P5007-13	MBHJZ8	13	1.19	8.42	9.61	8.6	88.0	
P5007-14	MBHJZ9	14	1.15	8.40	9.55	8.22	84.2	
P5007-15	MBHK00	15	1.13	8.73	9.86	9.02	90.4	
P5007-16	MBHK03	16	1.19	8.50	9.69	8.54	86.5	
P5007-17	MBHK04	17	1.18	8.49	9.67	8.48	86.0	
P5007-18	MBHK05	18	1.19	8.51	9.7	8.73	88.6	
P5007-19	MBHK06	19	1.17	8.53	9.7	8.63	87.5	
P5007-20	MBHK07	20	1.15	8.64	9.79	8.41	84.0	
P5007-21	MBHK08	21	1.15	8.38	9.53	8.11	83.1	
P5007-22	MBHK09	22	1.12	8.65	9.77	9.07	91.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$