



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB133642

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P5005-01	STOCK-PILE	1	100.02	0.00	11/26/2024	14:20
2	P5005-01DUP	STOCK-PILEDUP	1	100.05	0.00	11/26/2024	14:28
3	P5019-01	EO-02-11262024	1	100.06	0.00	11/26/2024	14:35

LB133642

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PAINT FILTER-112624

WorkList ID : 185812

Department : Wet-Chemistry

Date : 11-26-2024 13:57:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5005-01	STOCK-PILE	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	11/26/2024	9095B
P5019-01	EO-02-11262024	Solid	Paint Filter	Cool 4 deg C	PSEG05	L61	11/26/2024	9095B

Date/Time 11/26/24 14:10
Raw Sample Received by: 12(x)
Raw Sample Relinquished by: 12(WC)

Date/Time 11/26/24 14:50
Raw Sample Received by: 12(WC)
Raw Sample Relinquished by: 12(WC)