



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/2/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 11:50
In Date: 11/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:30
Out Date: 11/28/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133655

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5009-01	MBHJQ0	1	1.15	8.68	9.83	8.19	81.1	
P5009-02	MBHJQ1	2	1.15	8.44	9.59	8.03	81.5	
P5009-03	MBHJQ2	3	1.18	8.62	9.8	8.29	82.5	
P5009-04	MBHJQ3	4	1.12	8.68	9.8	8.63	86.5	
P5009-05	MBHJQ3D	5	1.12	8.68	9.8	8.63	86.5	
P5009-06	MBHJQ3S	6	1.12	8.68	9.8	8.63	86.5	
P5009-07	MBHJR8	7	1.19	8.51	9.7	7.26	71.3	
P5009-08	MBHJR9	8	1.18	8.33	9.51	7.97	81.5	
P5009-09	MBHJS0	9	1.14	8.64	9.78	8.07	80.2	
P5009-10	MBHJS1	10	1.15	8.40	9.55	7.81	79.3	
P5009-11	MBHJS2	11	1.11	8.77	9.88	8.43	83.5	
P5009-12	MBHJS3	12	1.16	8.75	9.91	8.4	82.7	
P5009-13	MBHJS4	13	1.19	8.44	9.63	8.18	82.8	
P5009-14	MBHJT8	14	1.13	8.50	9.63	8.32	84.6	
P5009-15	MBHJY7	15	1.15	8.45	9.6	7.22	71.8	
P5009-16	MBHJY8	16	1.15	8.84	9.99	7.97	77.1	
P5009-17	MBHJY9	17	1.14	8.63	9.77	8.17	81.5	
P5009-18	MBHJZ0	18	1.15	8.60	9.75	8.94	90.6	
P5009-19	MBHJZ1	19	1.12	8.46	9.58	8.81	90.9	
P5009-20	MBHJZ2	20	1.18	8.57	9.75	8.96	90.8	
P5009-21	MBHJZ3	21	1.15	8.63	9.78	9.22	93.5	
P5009-22	MBHK10	22	1.19	8.70	9.89	7.46	72.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$