



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/2/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 11/28/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/29/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133673

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5030-01	MBHK41	1	1.16	8.50	9.66	8.17	82.5	
P5030-02	MBHK42	2	1.15	8.57	9.72	8.39	84.5	
P5030-03	MBHK43	3	1.15	8.83	9.98	8.89	87.7	
P5030-04	MBHK44	4	1.18	8.47	9.65	8.72	89.0	
P5030-05	MBHK44D	5	1.18	8.47	9.65	8.72	89.0	
P5030-06	MBHK44S	6	1.18	8.47	9.65	8.72	89.0	
P5030-07	MBHK45	7	1.18	8.47	9.65	9.06	93.0	
P5030-08	MBHK46	8	1.15	8.75	9.9	9.04	90.2	
P5030-09	MBHK47	9	1.16	8.57	9.73	8.88	90.1	
P5030-10	MBHK48	10	1.15	6.32	7.47	7.2	95.7	
P5030-11	MBHK49	11	1.16	8.80	9.96	9.35	93.1	
P5030-12	MBHK50	12	1.19	8.55	9.74	9.41	96.1	
P5030-13	MBHKC4	13	1.15	8.82	9.97	8.49	83.2	
P5030-14	MBHKC5	14	1.19	8.58	9.77	7.61	74.8	
P5030-15	MBHKC6	15	1.16	8.72	9.88	8.29	81.8	
P5030-16	MBHKC7	16	1.18	8.74	9.92	8.48	83.5	
P5030-17	MBHKC8	17	1.18	8.33	9.51	8.24	84.8	
P5030-18	MBHKC9	18	1.17	8.52	9.69	8.75	89.0	
P5030-19	MBHKD0	19	1.16	8.60	9.76	8.81	89.0	
P5030-20	MBHKD1	20	1.13	8.70	9.83	8.71	87.1	
P5030-21	MBHKG4	21	1.19	8.56	9.75	8.7	87.7	
P5030-22	MBHKG5	22	1.18	8.64	9.82	8.54	85.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$