



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB133711

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P5052-01	OR-640-COMP-50	1	100.05	0.00	12/03/2024	15:50
2	P5052-01DUP	OR-640-COMP-50DUP	1	100.05	0.00	12/03/2024	15:57
3	P5052-07	OR-640-COMP-51	1	100.02	0.00	12/03/2024	16:05
4	P5052-13	OR-640-COMP-62	1	100.05	0.00	12/03/2024	16:12
5	P5052-19	OR-640-COMP-63	1	100.04	0.00	12/03/2024	16:20
6	P5069-01	A3988-SLUDGE	1	100.01	12.00	12/03/2024	16:27

WORKLIST(Hardcopy Internal Chain)

L6133711

WorkList Name : PF-12-03

WorkList ID : 185920

Department : Wet-Chemistry

Date : 12-03-2024 09:51:18

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5052-01	OR-640-COMP-50	Solid	Paint Filter	Cool 4 deg C	PSEG03	M11	12/02/2024	9095B
P5052-07	OR-640-COMP-51	Solid	Paint Filter	Cool 4 deg C	PSEG03	M11	12/02/2024	9095B
P5052-13	OR-640-COMP-62	Solid	Paint Filter	Cool 4 deg C	PSEG03	M11	12/02/2024	9095B
P5052-19	OR-640-COMP-63	Solid	Paint Filter	Cool 4 deg C	PSEG03	M11	12/02/2024	9095B
P5069-01	A3988-SLUDGE	Solid	Paint Filter	Cool 4 deg C	PSEG03	L61	12/03/2024	9095B

Date/Time 12/03/2024 15:20
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: R (CWC)

Date/Time 12/03/2024 16:40
 Raw Sample Received by: R (CWC)
 Raw Sample Relinquished by: RM CWC