



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/9/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:35
In Date: 12/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:41
Out Date: 12/07/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133784

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5092-01	MBHLP0	1	1.17	8.50	9.67	7.93	79.5	
P5092-02	MBHLP1	2	1.15	8.76	9.91	8.03	78.5	
P5092-03	MBHLP2	3	1.16	8.81	9.97	8.17	79.6	
P5092-04	MBHLP3	4	1.16	8.45	9.61	8.12	82.4	
P5092-05	MBHLP3D	5	1.16	8.45	9.61	8.12	82.4	
P5092-06	MBHLP3S	6	1.16	8.45	9.61	8.12	82.4	
P5092-07	MBHLP4	7	1.15	8.68	9.83	8.23	81.6	
P5092-08	MBHLP5	8	1.16	8.40	9.56	8.21	83.9	
P5092-09	MBHLP6	9	1.18	8.63	9.81	8.58	85.7	
P5092-10	MBHLR1	10	1.16	8.64	9.8	7.67	75.3	
P5092-11	MBHLR2	11	1.16	8.56	9.72	8.13	81.4	
P5092-12	MBHLR3	12	1.19	8.52	9.71	8.54	86.3	
P5092-13	MBHLT4	13	1.16	8.39	9.55	8.29	85.0	
P5092-14	MBHLT5	14	1.17	8.60	9.77	8.8	88.7	
P5092-15	MBHLT6	15	1.17	8.57	9.74	9.27	94.5	
P5092-16	MBHLT7	16	1.17	8.57	9.74	9.03	91.7	
P5092-17	MBHLT8	17	1.17	8.55	9.72	9.09	92.6	
P5092-18	MBHM38	18	1.17	8.63	9.8	8.67	86.9	
P5092-19	MBHM39	19	1.16	8.51	9.67	7.28	71.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$