



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/9/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:15
In Date: 12/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 12/07/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133791

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5124-01	MBHM70	1	1.15	8.83	9.98	7.37	70.4	
P5124-02	MBHM71	2	1.15	8.67	9.82	7.85	77.3	
P5124-03	MBHM72	3	1.18	8.44	9.62	7.58	75.8	
P5124-04	MBHM73	4	1.15	8.50	9.65	7.08	69.8	
P5124-05	MBHM74	5	1.15	8.82	9.97	7.31	69.8	
P5124-06	MBHM75	6	1.16	8.46	9.62	7.24	71.9	
P5124-07	MBHM76	7	1.17	8.36	9.53	7.38	74.3	
P5124-08	MBHM77	8	1.15	8.76	9.91	6.51	61.2	
P5124-09	MBHM78	9	1.15	8.53	9.68	7.1	69.8	
P5124-10	MBHM79	10	1.15	8.38	9.53	7.36	74.1	
P5124-11	MBHM80	11	1.16	8.57	9.73	7.82	77.7	
P5124-12	MBHM81	12	1.15	8.64	9.79	7.86	77.7	
P5124-13	MBHM82	13	1.18	8.80	9.98	7.78	75.0	
P5124-14	MBHM83	14	1.16	8.82	9.98	8.93	88.1	
P5124-15	MBHM84	15	1.16	8.78	9.94	7.57	73.0	
P5124-16	MBHM85	16	1.14	8.83	9.97	8.08	78.6	
P5124-17	MBHM86	17	1.17	8.73	9.9	8.36	82.4	
P5124-18	MBHM87	18	1.16	8.53	9.69	8.18	82.3	
P5124-19	MBHM88	19	1.16	8.67	9.83	8.07	79.7	
P5124-20	MBHM88D	20	1.16	8.67	9.83	8.07	79.7	
P5124-21	MBHM88S	21	1.16	8.67	9.83	8.07	79.7	
P5124-22	MBHM89	22	1.16	8.61	9.77	8.36	83.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$