



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/9/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:15
In Date: 12/07/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:36
Out Date: 12/08/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133814

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5127-01	MBHMA8	1	1.15	8.55	9.7	7.65	76.0	
P5127-02	MBHMA9	2	1.14	8.60	9.74	8.31	83.4	
P5127-03	MBHMB0	3	1.16	8.51	9.67	8.31	84.0	
P5127-04	MBHMB1	4	1.16	8.65	9.81	8.11	80.3	
P5127-05	MBHMB1D	5	1.16	8.65	9.81	8.11	80.3	
P5127-06	MBHMB1S	6	1.16	8.65	9.81	8.11	80.3	
P5127-07	MBHMB9	7	1.15	8.82	9.97	7.64	73.6	
P5127-08	MBHMC0	8	1.16	8.80	9.96	7.96	77.3	
P5127-09	MBHMC1	9	1.15	8.48	9.63	7.85	79.0	
P5127-10	MBHMC2	10	1.16	8.81	9.97	8.28	80.8	
P5127-11	MBHMC3	11	1.15	8.57	9.72	7.87	78.4	
P5127-12	MBHMC4	12	1.17	8.71	9.88	7.96	78.0	
P5127-13	MBHMC5	13	1.15	8.41	9.56	7.68	77.6	
P5127-14	MBHMD7	14	1.14	8.60	9.74	8.14	81.4	
P5127-15	MBHMD8	15	1.14	8.72	9.86	8.27	81.8	
P5127-16	MBHMD9	16	1.17	8.72	9.89	8.33	82.1	
P5127-17	MBHME0	17	1.17	8.76	9.93	8.65	85.4	
P5127-18	MBHME7	18	1.16	8.75	9.91	8.62	85.3	
P5127-19	MBHME8	19	1.15	8.48	9.63	8.55	87.3	
P5127-20	MBHME9	20	1.17	8.44	9.61	8.6	88.0	
P5127-21	MBHMF0	21	1.15	8.43	9.58	8.59	88.3	
P5127-22	MBHMF1	22	1.15	8.69	9.84	8.73	87.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$