

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB133818

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P5174-01	ROLL-OFF-COMP	1	100.05	0.00	12/07/2024	10:20
2	P5174-01DUP	ROLL-OFF-COMPDUP	1	100.05	0.00	12/07/2024	10:28
3	P5175-01	OK-01-12062024	1	100.07	0.00	12/07/2024	10:35
4	P5176-01	EO-02-12062024	1	100.02	0.00	12/07/2024	10:42
5	P5176-03	EO-03-12062024	1	100.07	0.00	12/07/2024	10:50
6	P5196-01	MH-761	1	100.02	0.00	12/07/2024	10:58

WORKLIST(Hardcopy Internal Chain)

66133818

WorkList Name : pf-12-07 WorkList ID : 186091 Department : Wet-Chemistry Date : 12-07-2024 07:57:45

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5174-01	ROLL-OFF-COMP	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	12/06/2024	9095B
P5175-01	OK-01-12062024	Solid	Paint Filter	Cool 4 deg C	PSEG05	L51	12/06/2024	9095B
P5176-01	EO-02-12062024	Solid	Paint Filter	Cool 4 deg C	PSEG05	L51	12/06/2024	9095B
P5176-03	EO-03-12062024	Solid	Paint Filter	Cool 4 deg C	PSEG05	L51	12/06/2024	9095B
P5196-01	MH-761	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	12/06/2024	9095B

Date/Time 12/10/2024 10:10
 Raw Sample Received by: RY CWC
 Raw Sample Relinquished by: JH CWC

Date/Time 12/07/2024 11:15
 Raw Sample Received by: JH CWC
 Raw Sample Relinquished by: RY CWC