

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB133871

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P5216-01	BP-G-6	1	100.06	0.00	12/10/2024	16:00
2	P5216-01DUP	BP-G-6DUP	1	100.06	0.00	12/10/2024	16:07
3	P5216-05	MH-743	1	100.04	0.00	12/10/2024	16:15
4	P5216-09	MH-744	1	100.02	0.00	12/10/2024	16:22
5	P5216-13	TP-12	1	100.02	0.00	12/10/2024	16:30
6	P5223-01	TR-05-120924	1	100.06	0.00	12/10/2024	16:38

WORKLIST(Hardcopy Internal Chain)

LB133871

WorkList Name : PF-12-09

WorkList ID : 186151

Department : Wet-Chemistry

Date : 12-09-2024 14:46:33

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5216-01	BP-G-6	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	12/07/2024	9095B
P5216-05	MH-743	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	12/07/2024	9095B
P5216-09	MH-744	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	12/07/2024	9095B
P5216-13	TP-12	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	12/07/2024	9095B
P5223-01	TR-05-120924	Solid	Paint Filter	Cool 4 deg C	PSEG05	L51	12/09/2024	9095B

Date/Time 12/10/2024 14:30
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: JPL(COC)

Date/Time 12/10/2024 16:50
 Raw Sample Received by: JPL(COC)
 Raw Sample Relinquished by: RM CWC