



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/13/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:55
In Date: 12/12/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:05
Out Date: 12/13/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB133922

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5207-01	MBHMZ9	1	1.15	8.82	9.97	7.37	70.5	
P5207-02	MBHN00	2	1.14	8.47	9.61	7.75	78.0	
P5207-03	MBHN01	3	1.18	8.35	9.53	8.45	87.1	
P5207-04	MBHN02	4	1.16	8.52	9.68	8.81	89.8	
P5207-05	MBHN03	5	1.15	8.37	9.52	8.78	91.2	
P5207-06	MBHN04	6	1.15	8.53	9.68	8.7	88.5	
P5207-07	MBHN05	7	1.15	8.38	9.53	9.09	94.7	
P5207-08	MBHN34	8	1.16	8.77	9.93	7.61	73.5	
P5207-09	MBHN35	9	1.17	8.43	9.6	7.87	79.5	
P5207-10	MBHN36	10	1.15	8.83	9.98	8.57	84.0	
P5207-11	MBHN37	11	1.16	8.71	9.87	8.59	85.3	
P5207-12	MBHN38	12	1.16	8.48	9.64	9.11	93.7	
P5207-13	MBHN39	13	1.15	8.59	9.74	9.36	95.6	
P5207-14	MBHN39D	14	1.15	8.59	9.74	9.36	95.6	
P5207-15	MBHN39S	15	1.15	8.59	9.74	9.36	95.6	
P5207-16	MBHN54	16	1.17	8.36	9.53	8.17	83.7	
P5207-17	MBHN55	17	1.16	8.74	9.9	8.65	85.7	
P5207-18	MBHN56	18	1.16	8.37	9.53	8.34	85.8	
P5207-19	MBHN57	19	1.15	8.65	9.8	8.86	89.1	
P5207-20	MBHN58	20	1.17	8.37	9.54	8.71	90.1	
P5207-21	MBHN59	21	1.18	8.36	9.54	9.00	93.5	
P5207-22	MBHN60	22	1.16	8.71	9.87	9.22	92.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$