

Analytical Summary Report

Analysis Method: SM5220 D
 Parameter: COD
 Run Number: LB134148

ANALYST: Niha

SUPERVISOR REVIEW BY: Iwona

Reagent/Standard	Lot/Log #
COD calibration std. 10 ppm	WP110197
COD calibration std. 150 ppm	WP110200
COD calibration std. 50 ppm	WP110198
COD calibration std. 0 ppm	WP110196
COD ICV-LCS std, 50ppm	WP110658
COD calibration std. 100 ppm	WP110199
COD Digestion Vials Low Level 0-150Mg/L	W3125
COD ICV-LCS std, 50ppm	WP111204
COD CCV std, 50ppm	WP111203

Temp In (C): <u>148</u>	Date In: <u>01/02/2025</u>	Time In: <u>10:00</u>
Temp Out (C): <u>150</u>	Date Out: <u>01/02/2025</u>	Time Out: <u>12:00</u>

Intercept: -0.0642

Slope: 0.9946

Regression: 0.9998

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Result (mg/l)	%D	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	0.065		10/14/2024	13:10
2	CAL2	10	1	Water	9.000	9.113	-8.9	10/14/2024	13:10
3	CAL3	50	1	Water	50.000	50.336	0.7	10/14/2024	13:11
4	CAL4	100	1	Water	101.000	101.613	1.6	10/14/2024	13:11
5	CAL5	150	1	Water	148.000	148.868	-0.8	10/14/2024	13:12

Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Niha

Parameter: COD

SUPERVISOR REVIEW BY: Iwona

Run Number: LB134148

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50	NA	NA	1	Water	51.000	51.341	10/14/2024	13:12
2	ICB		NA	NA	1	Water	0.000	0.065	10/14/2024	13:13
3	CCV1	50	NA	NA	1	Water	50.000	50.336	01/02/2025	14:00
4	CCB1		NA	NA	1	Water	0.000	0.065	01/02/2025	14:00
5	LB134148BL		NA	NA	1	Water	0.000	0.065	01/02/2025	14:01
6	LB134148BS	50	NA	NA	1	Water	51.000	51.341	01/02/2025	14:01
7	P5386-05		NA	NA	10	Water	106.000	106.640	01/02/2025	14:02
8	P5386-05DUP		NA	NA	10	Water	104.000	104.629	01/02/2025	14:02
9	P5386-05MS	50	NA	NA	10	Water	130.000	130.770	01/02/2025	14:03
10	P5386-05MSD	50	NA	NA	10	Water	134.000	134.792	01/02/2025	14:03
11	CCV2	50	NA	NA	1	Water	51.000	51.341	01/02/2025	14:04
12	CCB2		NA	NA	1	Water	0.000	0.065	01/02/2025	14:04

WORKLIST(Hardcopy Internal Chain)

LB134148

WorkList Name : COD-12302024

WorkList ID : 186686

Department : Wet-Chemistry

Date : 12-30-2024 09:36:14

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5386-05	MOO-24-00397	Water	COD	Conc H2SO4 to pH < 2	PSEG03	N31	12/26/2024	SM5220 D

Date/Time 01-02-2025 09:45
Raw Sample Received by: NF(WC)
Raw Sample Relinquished by: ACWC1

Date/Time 01-02-2025 11:30
Raw Sample Received by: aedc
Raw Sample Relinquished by: NF(WC)