



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB134380

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q1141-01	SU-4-012125	1	100.02	0.00	01/23/2025	09:45
2	Q1141-01DUP	SU-4-012125DUP	1	100.05	0.00	01/23/2025	09:52
3	Q1142-01	PL-1-012125	1	100.04	0.00	01/23/2025	10:00
4	Q1154-01	VNJ-220	1	100.05	0.00	01/23/2025	10:08
5	Q1156-01	281	1	100.06	0.00	01/23/2025	10:15

WORKLIST(Hardcopy Internal Chain)

LB134380

WorkList Name : PAINT FILTER-012325

WorkList ID : 187086

Department : Wet-Chemistry

Date : 01-23-2025 09:22:23

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1141-01	SU-4-012125	Solid	Paint Filter	Cool 4 deg C	PSEG05	E11	01/21/2025	9095B
Q1142-01	PL-1-012125	Solid	Paint Filter	Cool 4 deg C	PSEG05	E11	01/21/2025	9095B
Q1154-01	VNJ-220	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	01/22/2025	9095B
Q1156-01	281	Solid	Paint Filter	Cool 4 deg C	PSEG03	N21	01/22/2025	9095B

Date/Time 01/23/25 09:30
 Raw Sample Received by: 126-20
 Raw Sample Relinquished by: 126-20

Date/Time 01/23/25 10:40
 Raw Sample Received by: 126-20
 Raw Sample Relinquished by: 126-20