

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB134648

Reviewed By: Iwona
Supervisor Review By: jignesh
BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q1340-01	RV-SOIL	1	100.04	0.00	02/10/2025	15:00
2	Q1340-01DUP	RV-SOILDUP	1	100.04	0.00	02/10/2025	15:08
3	Q1341-01	HAR-ROLLOFFS	1	100.02	0.00	02/10/2025	15:15
4	Q1343-01	WC-9	1	100.07	0.00	02/10/2025	15:22
5	Q1343-05	WC-10	1	100.03	0.00	02/10/2025	15:30
6	Q1343-09	WC-7	1	100.02	0.00	02/10/2025	15:38
7	Q1343-13	WC-13	1	100.05	0.00	02/10/2025	15:45
8	Q1343-17	WC-14	1	100.07	0.00	02/10/2025	15:52
9	Q1344-01	SOIL-1	1	100.06	0.00	02/10/2025	16:00
10	Q1344-03	SOIL-2	1	100.06	0.00	02/10/2025	16:08
11	Q1345-01	EO-01-021025	1	100.03	0.00	02/10/2025	16:15

WORKLIST(Hardcopy Internal Chain)

6134648

WorkList Name : pf-2-10

WorkList ID : 187589

Department : Wet-Chemistry

Date : 02-10-2025 08:13:58

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1340-01 13	RV-SOIL	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	02/07/2025	9095B
Q1341-01 C	HAR-ROLLOFFS	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	02/07/2025	9095B
Q1343-01 D	WC-9	Solid	Paint Filter	Cool 4 deg C	PSEG03	N51	02/07/2025	9095B
Q1343-05 D	WC-10	Solid	Paint Filter	Cool 4 deg C	PSEG03	N51	02/07/2025	9095B
Q1343-09 A	WC-7	Solid	Paint Filter	Cool 4 deg C	PSEG03	N51	02/07/2025	9095B
Q1343-13 B	WC-13	Solid	Paint Filter	Cool 4 deg C	PSEG03	N51	02/07/2025	9095B
Q1343-17 B	WC-14	Solid	Paint Filter	Cool 4 deg C	PSEG03	N51	02/07/2025	9095B
Q1344-01 E	SOIL-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	N51	02/07/2025	9095B
Q1344-03 D	SOIL-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	N51	02/08/2025	9095B
Q1345-01 C	EO-01-021025	Solid	Paint Filter	Cool 4 deg C	PSEG05	N41	02/10/2025	9095B

Date/Time 02/10/2025 14:40
 Raw Sample Received by: 12(51)
 Raw Sample Relinquished by: [Signature]

Date/Time 02/10/2025 16:30
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: 12(51)