

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB134675

Slope : 98.6

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3107
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3094
buffer solution pH 7 yellow	W3071
Buffer Solution, PH2 (500ml)	W3161
Buffer Solution, PH12 (500ml)	W3072

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	02/12/2025	08:25
2	CAL2	1	Water	NA	NA	20.2	7.01	02/12/2025	08:26
3	CAL3	1	Water	NA	NA	20.3	10.02	02/12/2025	08:30
4	ICV	1	Water	NA	NA	20.2	6.98	02/12/2025	08:33
5	CCV1	1	Water	NA	NA	20.2	2.01	02/12/2025	08:37
6	Q1352-01	1	Solid	20.02	20	20.4	10.12	02/12/2025	08:45
7	Q1352-01DUP	1	Solid	20.03	20	20.5	10.13	02/12/2025	08:46
8	CCV2	1	Water	NA	NA	20.3	12.02	02/12/2025	08:50

WORKLIST(Hardcopy Internal Chain)

WorkList Name : ph s q1352 WorkList ID : 187650 Department : Wet-Chemistry Date : 02-12-2025 08:04:42

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1352-01	TAP-IDW-SOIL-021025	Solid	pH	Cool 4 deg C	WEST04	N51	02/10/2025	9045D

Date/Time 02/12/25 08:15
Raw Sample Received by: SB WDC
Raw Sample Relinquished by: AP SN

Date/Time 02/12/25 12:30
Raw Sample Received by: AP SN
Raw Sample Relinquished by: SB WDC