

Analysis Method: 9034

ANALYST: rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB134785

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3114
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB166813BL		1	5.00	50	2.00	0.00	1.90	1.90	0.10	0.00	0.00	02/24/2025	11:30
2	Q1390-02		1	5.03	50	2.00	0.00	1.88	1.88	0.12	0.02	1.59	02/24/2025	11:33
3	Q1390-02DUP		1	5.03	50	2.00	0.00	1.88	1.88	0.12	0.02	1.59	02/24/2025	11:36
4	Q1393-02		1	5.06	50	2.00	0.00	1.84	1.84	0.16	0.06	4.74	02/24/2025	11:39
5	Q1395-02		1	5.05	50	2.00	0.00	1.88	1.88	0.12	0.02	1.58	02/24/2025	11:42
6	Q1397-02		1	5.02	50	2.00	0.00	1.84	1.84	0.16	0.06	4.78	02/24/2025	11:45
7	Q1397-04		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.02	1.59	02/24/2025	11:48
8	Q1397-06		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.04	3.17	02/24/2025	11:50

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume