

Analytical Summary Report

Analysis Method: 9095B

Parameter: Paint Filter

Run Number: LB134886

Reviewed By: Niha

Supervisor Review By: Iwona

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q1475-01	TR-04-02282025	1	100.05	0.00	03/04/2025	10:08
2	Q1475-01DUP	TR-04-02282025DUP	1	100.07	0.00	03/04/2025	10:16
3	Q1480-01	TP-1	1	100.05	0.00	03/04/2025	10:24
4	Q1480-09	TP-2	1	100.02	0.00	03/04/2025	10:32
5	Q1480-17	TP-3	1	100.02	0.00	03/04/2025	10:40
6	Q1480-25	TP-4	1	100.01	0.00	03/04/2025	10:48

LB134886

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-3-03

WorkList ID : 187991

Department : Wet-Chemistry

Date : 03-03-2025 14:46:12

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1475-01 - A	TR-04-02282025	Solid	Paint Filter	Cool 4 deg C	PSEG05	H31	02/28/2025	9095B
Q1480-01 - F	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	03/03/2025	9095B
Q1480-09 - F	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	03/03/2025	9095B
Q1480-17 - D	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	03/03/2025	9095B
Q1480-25 - C	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	03/03/2025	9095B

Date/Time 03.04.2025, 09:45
Raw Sample Received by: NF(wc)
Raw Sample Relinquished by: M. Gell

Date/Time 03.04.2025, 11:00
Raw Sample Received by: M. Gell
Raw Sample Relinquished by: NF(wc)