



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB135033

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q1566-01	CTWK-COMP	1	100.03	0.00	03/14/2025	11:00
2	Q1566-01DUP	CTWK-COMPDUP	1	100.03	0.00	03/14/2025	11:07
3	Q1568-01	JC-03-03132025	1	100.07	0.00	03/14/2025	11:16

WORKLIST(Hardcopy Internal Chain)

6135033

WorkList Name : pf3-14

WorkList ID : 188273

Department : Wet-Chemistry

Date : 03-14-2025 08:34:22

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1566-01D	CTWK-COMP	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	03/13/2025	9095B
Q1568-01C1	JC-03-03132025	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	03/13/2025	9095B

Date/Time 03/14/2025 10:40
Raw Sample Received by: RMA (03/13/2025)
Raw Sample Relinquished by: [Signature]

Date/Time 03/14/2025 13:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: RMA (03/13/2025)