



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB135237

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q1671-01	WC-1	1	100.03	0.00	03/31/2025	09:15
2	Q1672-01	TP-8	1	100.07	0.00	03/31/2025	09:22
3	Q1674-01	RT5358	1	100.06	0.00	03/31/2025	09:30
4	Q1674-03	72-11991	1	100.02	0.00	03/31/2025	09:38
5	Q1679-01	TP-10	1	100.07	0.00	03/31/2025	09:45
6	Q1679-05	TP-9	1	100.03	0.00	03/31/2025	09:53
7	Q1679-05DUP	TP-9DUP	1	100.03	0.00	03/31/2025	10:00

WORKLIST(Hardcopy Internal Chain)

6135237

WorkList Name : PF-3-28

WorkList ID : 188619

Department : Wet-Chemistry

Date : 03-28-2025 13:46:32

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1671-01 C	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	03/27/2025	9095B
Q1672-01 B	TP-8	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	03/27/2025	9095B
Q1674-01 B	RT5358	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	03/28/2025	9095B
Q1674-03 B	72-11991	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	03/28/2025	9095B
Q1679-01 C	TP-10	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	03/28/2025	9095B
Q1679-05 D	TP-9	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	03/28/2025	9095B

Date/Time 03/31/2025 08:20
 Raw Sample Received by: R-H CWC
 Raw Sample Relinquished by: JH (HOC)

Date/Time 03/31/2025 14:19
 Raw Sample Received by: JH CWC
 Raw Sample Relinquished by: R-H CWC