

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB135280

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q1694-01	TP-18	1	100.07	0.00	04/03/2025	09:05
2	Q1694-01DUP	TP-18DUP	1	100.07	0.00	04/03/2025	09:13
3	Q1695-01	TT-2	1	100.03	0.00	04/03/2025	09:21
4	Q1695-05	TT-3	1	100.02	0.00	04/03/2025	09:28
5	Q1706-01	PL-01-040225	1	100.08	0.00	04/03/2025	09:35
6	Q1706-03	PL-02-040225	1	100.06	0.00	04/03/2025	09:42

WORKLIST(Hardcopy Internal Chain)

16135280

WorkList Name : pf-4-3

WorkList ID : 188697

Department : Wet-Chemistry

Date : 04-03-2025 08:17:03

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1694-01 B	TP-18	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	04/01/2025	9095B
Q1695-01 C	TT-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	04/02/2025	9095B
Q1695-05 B	TT-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	04/02/2025	9095B
Q1706-01 C	PL-01-040225	Solid	Paint Filter	Cool 4 deg C	PSEG05	I31	04/02/2025	9095B
Q1706-03 F	PL-02-040225	Solid	Paint Filter	Cool 4 deg C	PSEG05	I31	04/02/2025	9095B

Date/Time 04/03/2025 08:20
 Raw Sample Received by: RM cwe
 Raw Sample Relinquished by: 206025/

Date/Time 04/03/2025 11:20
 Raw Sample Received by: 206025/ RM cwe
 Raw Sample Relinquished by: 206025/