



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/9/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 04/08/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:17
Out Date: 04/09/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB135343

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
Q1748-01	IB-1.5-WC	1	1.14	10.28	11.42	9.52	81.5	
Q1748-02	IB-1.5-EPH	2	1.12	10.27	11.39	9.47	81.3	
Q1748-03	IB-1.5-VOC	3	1.16	10.12	11.28	9.05	78.0	
Q1748-05	IB-2A-WC	4	1.18	10.32	11.5	9.7	82.6	
Q1748-06	IB-2A-EPH	5	1.18	10.63	11.81	9.81	81.2	
Q1748-07	IB-2A-VOC	6	1.17	10.35	11.52	9.6	81.4	
Q1749-01	TP-14	7	1.19	10.40	11.59	9.39	78.8	
Q1749-02	TP-14-EPH	8	1.13	10.73	11.86	9.85	81.3	
Q1749-03	TP-14-VOC	9	1.15	10.38	11.53	10.63	91.3	
Q1752-01	TP-1	10	1.14	10.54	11.68	11.02	93.7	
Q1752-03	TP-2	11	1.18	9.95	11.13	9.86	87.2	
Q1752-05	TP-3	12	1.19	10.77	11.96	10.44	85.9	
Q1752-07	TP-4	13	1.12	10.75	11.87	10.54	87.6	
Q1753-01	WC-1	14	1.17	10.86	12.03	10.34	84.4	
Q1753-02	WC-1-EPH	15	1.19	10.03	11.22	9.76	85.4	
Q1753-03	WC-1-VOC	16	1.18	10.39	11.57	9.99	84.8	
Q1753-05	WC-2	17	1.18	9.87	11.05	9.96	89.0	
Q1753-06	WC-2-EPH	18	1.19	10.57	11.76	10.34	86.6	
Q1753-07	WC-2-VOC	19	1.13	10.79	11.92	10.39	85.8	
Q1754-01	TP-1	20	1.14	10.14	11.28	9.03	77.8	
Q1754-03	TP-1-CONCRETE	21	1.00	1.00	2.00	2.00	100.0	CONCRETE sample

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$