



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB135604

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q1910-01	MOO-25-0123-27	1	100.05	0.00	04/30/2025	15:00
2	Q1910-01DUP	MOO-25-0123-27DUP	1	100.02	0.00	04/30/2025	15:07
3	Q1911-01	EO-03-04292025	1	100.04	0.00	04/30/2025	15:15
4	Q1912-01	MH-E	1	100.06	0.00	04/30/2025	15:23
5	Q1912-05	MH-F	1	100.02	0.00	04/30/2025	15:30

WORKLIST(Hardcopy Internal Chain)

13135604

WorkList Name : pf-4-30

WorkList ID : 189226

Department : Wet-Chemistry

Date : 04-30-2025 08:18:21

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1910-01	MOO-25-0123-27	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	04/29/2025	9095B
Q1911-01	EO-03-04292025	Solid	Paint Filter	Cool 4 deg C	PSEG05	L41	04/29/2025	9095B
Q1912-01	MH-E	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	04/29/2025	9095B
Q1912-05	MH-F	Solid	Paint Filter	Cool 4 deg C	PSEG03	L51	04/29/2025	9095B

Date/Time 04/30/25 14:50
 Raw Sample Received by: 12(50)
 Raw Sample Relinquished by: 78(130)

Date/Time 04/30/25 15:45
 Raw Sample Received by: 78(130)
 Raw Sample Relinquished by: 12(50)