

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB135621

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q1916-01	WC-12	1	100.06	0.00	05/01/2025	09:05
2	Q1916-01DUP	WC-12DUP	1	100.06	0.00	05/01/2025	09:12
3	Q1917-01	MH-JJ	1	100.03	0.00	05/01/2025	09:19
4	Q1920-01	291	1	100.06	0.00	05/01/2025	09:27
5	Q1922-01	MH-R	1	100.02	0.00	05/01/2025	09:35
6	Q1922-05	MH-S	1	100.03	0.00	05/01/2025	09:42
7	Q1923-01	TR-05-04302025	1	100.07	0.00	05/01/2025	09:50

WORKLIST(Hardcopy Internal Chain)

6135621

WorkList Name : pf-05-01

WorkList ID : 189247

Department : Wet-Chemistry

Date : 05-01-2025 08:16:07

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1916-01	WC-12	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	04/30/2025	9095B
Q1917-01	MH-JJ	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	04/30/2025	9095B
Q1920-01	291	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	04/30/2025	9095B
Q1922-01	MH-R	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	04/30/2025	9095B
Q1922-05	MH-S	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	04/30/2025	9095B
Q1923-01	TR-05-04302025	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	04/30/2025	9095B

Date/Time 05/01/2025 08:20
 Raw Sample Received by: RM (w/c)
 Raw Sample Relinquished by: RM (w/c)

Date/Time 05/01/2025
 Raw Sample Received by: RM (w/c)
 Raw Sample Relinquished by: RM (w/c)