

Analytical Summary Report

Analysis Method: 9095B

Parameter: Paint Filter

Run Number: LB135863

Reviewed By: Eman

Supervisor Review By: Iwona

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2084-01	OR-640-COMP-66	1	100.03	0.00	05/21/2025	13:00
2	Q2084-01DUP	OR-640-COMP-66DUP	1	100.05	0.00	05/21/2025	13:08
3	Q2087-01	NB-07-05202025	1	100.09	0.00	05/21/2025	13:15
4	Q2087-03	NB-08-05202025	1	100.02	0.00	05/21/2025	13:22
5	Q2092-01	VNJ-202	1	100.07	0.00	05/21/2025	13:30
6	Q2093-01	SOIL-DRUMS	1	100.06	0.00	05/21/2025	13:37
7	Q2095-01	WCS-TP1	1	100.08	0.00	05/21/2025	13:45
8	Q2095-05	WCS-TP2	1	100.02	0.00	05/21/2025	13:52
9	Q2097-01	ETGI-357	1	100.04	0.00	05/21/2025	14:00
10	Q2097-03	RBR200044	1	100.05	0.00	05/21/2025	14:08
11	Q2097-05	RBR251675	1	100.09	0.00	05/21/2025	14:15
12	Q2097-07	VNJ-244	1	100.03	0.00	05/21/2025	14:22
13	Q2097-09	ETGI-290	1	100.06	0.00	05/21/2025	14:30
14	Q2097-11	RT3419	1	100.08	0.00	05/21/2025	14:37
15	Q2097-13	RBR251372	1	100.04	0.00	05/21/2025	14:45
16	Q2097-15	72-12013	1	100.05	0.00	05/21/2025	14:52
17	Q2097-17	RT-3888	1	100.01	0.00	05/21/2025	15:00
18	Q2101-01	TP-1-MHE	1	100.03	0.00	05/21/2025	15:07
19	Q2102-01	LAW-25-0077	1	100.07	0.00	05/21/2025	15:15
20	Q2104-01	TR-06-052125	1	100.05	0.00	05/21/2025	15:23

16135863

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-5-21

WorkList ID : 189681

Department : Wet-Chemistry

Date : 05-21-2025 12:32:46

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2084-01	OR-640-COMP-66	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/19/2025	9095B
Q2087-01	NB-07-05202025	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	05/20/2025	9095B
Q2087-03	NB-08-05202025	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	05/20/2025	9095B
Q2092-01	VNJ-202	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2093-01	SOIL-DRUMS	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2095-01	WCS-TP1	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2095-05	WCS-TP2	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-01	ETGI-357	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-03	RBR200044	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-05	RBR251675	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-07	VNJ-244	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-09	ETGI-290	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-11	RT3419	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-13	RBR251372	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-15	72-12013	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2097-17	RT-3888	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2101-01	TP-1-MHE	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/20/2025	9095B
Q2102-01	LAW-25-0077	Solid	Paint Filter	Cool 4 deg C	PSEG03	L21	05/19/2025	9095B
Q2104-01	TR-06-052125	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	05/21/2025	9095B

Date/Time 5/21/25 12:50
Raw Sample Received by: GM(WC)
Raw Sample Relinquished by: JH GGC

Date/Time 5/21/25 15:40
Raw Sample Received by: JH GGC
Raw Sample Relinquished by: EM(WC)