



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB135946

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2136-01	OR-646-COMP-52	1	100.05	0.00	05/29/2025	12:40
2	Q2136-01DUP	OR-646-COMP-52DUP	1	100.01	0.00	05/29/2025	12:48
3	Q2137-01	MOO-25-0151	1	100.03	0.00	05/29/2025	12:55
4	Q2139-01	BELL-25-0010	1	100.07	0.00	05/29/2025	13:03
5	Q2146-01	TP04-MHN-WC	1	100.02	0.00	05/29/2025	13:10

WORKLIST(Hardcopy Internal Chain)

B135946

WorkList Name : PF-052925

WorkList ID : 189814

Department : Wet-Chemistry

Date : 05-29-2025 12:13:32

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2136-01	OR-646-COMP-52	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/27/2025	9095B
Q2137-01	MOO-25-0151	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	05/28/2025	9095B
Q2139-01	BELL-25-0010	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	05/28/2025	9095B
Q2146-01	TP04-MHN-WC	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	05/28/2025	9095B

Date/Time 05/29/25 12:30
 Raw Sample Received by: EM(WC)
 Raw Sample Relinquished by: JH WC

Date/Time 05/29/25 13:25
 Raw Sample Received by: JH WC
 Raw Sample Relinquished by: EM(WC)