

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB136019

Reviewed By: Iwona
Supervisor Review By: jignesh
BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2206-01	TP-1	1	100.05	0.00	06/05/2025	09:40
2	Q2206-01DUP	TP-1DUP	1	100.08	0.00	06/05/2025	09:48
3	Q2207-01	BU-703-COMP-01	1	100.03	0.00	06/05/2025	09:55
4	Q2207-10	BU-703-COMP-02	1	100.01	0.00	06/05/2025	10:03
5	Q2207-19	BU-703-COMP-03	1	100.08	0.00	06/05/2025	10:10
6	Q2207-28	BU-703-COMP-04	1	100.02	0.00	06/05/2025	10:18
7	Q2207-37	BU-703-COMP-05	1	100.07	0.00	06/05/2025	10:25
8	Q2208-01	BU-703-COMP-06	1	100.07	0.00	06/05/2025	10:32
9	Q2208-10	BU-703-COMP-07	1	100.05	0.00	06/05/2025	10:40
10	Q2208-19	BU-703-COMP-08	1	100.02	0.00	06/05/2025	10:47
11	Q2208-28	BU-703-COMP-09	1	100.03	0.00	06/05/2025	10:55
12	Q2214-01	RBR251425	1	100.07	0.00	06/05/2025	11:03
13	Q2218-01	72-11934	1	100.06	0.00	06/05/2025	11:10
14	Q2219-01	72-11995	1	100.04	0.00	06/05/2025	11:18
15	Q2223-01	HR-01-06042025	1	100.06	0.00	06/05/2025	11:25
16	Q2223-03	HR-04-06042025	1	100.08	0.00	06/05/2025	11:32
17	Q2224-01	EO-01-06042025	1	100.05	0.00	06/05/2025	11:40
18	Q2225-01	SU-03-06042025	1	100.08	0.00	06/05/2025	11:48
19	Q2226-01	TP06-MHI-WC	1	100.06	0.00	06/05/2025	11:55
20	Q2227-01	TP07-MHH-WC	1	100.03	0.00	06/05/2025	12:03
21	Q2228-01	TP08-MHI-WC	1	100.09	0.00	06/05/2025	12:10
22	Q2235-02	WC-A2-08-C	1	100.05	0.00	06/05/2025	12:18
23	Q2236-02	WC-A4-05A-C	1	100.00	0.00	06/05/2025	12:25
24	Q2236-06	WC-A2-04-C	1	100.09	0.00	06/05/2025	12:32
25	Q2236-10	WC-A2-05-C	1	100.08	0.00	06/05/2025	12:40
26	Q2236-14	WC-A2-06-C	1	100.05	0.00	06/05/2025	12:48
27	Q2236-18	WC-A2-07-C	1	100.05	0.00	06/05/2025	12:55
28	Q2240-01	TP-3	1	100.05	0.00	06/05/2025	13:15
29	Q2240-05	TP-2	1	100.05	0.00	06/05/2025	13:23
30	Q2240-09	TP-1	1	100.02	0.00	06/05/2025	13:30
31	Q2241-01	TP-N	1	100.07	0.00	06/05/2025	13:38
32	Q2241-05	TP-S	1	100.05	0.00	06/05/2025	13:45
33	Q2241-05DUP	TP-SDUP	1	100.02	0.00	06/05/2025	13:52

WORKLIST(Hardcopy Internal Chain)

LB136019

WorkList Name : PAINT FILTER-060525

WorkList ID : 189972

Department : Wet-Chemistry

Date : 06-05-2025 09:23:24

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2206-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/04/2025	9095B
Q2207-01	BU-703-COMP-01	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2207-10	BU-703-COMP-02	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2207-19	BU-703-COMP-03	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2207-28	BU-703-COMP-04	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2207-37	BU-703-COMP-05	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2208-01	BU-703-COMP-06	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2208-10	BU-703-COMP-07	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2208-19	BU-703-COMP-08	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2208-28	BU-703-COMP-09	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2214-01	RBR251425	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/02/2025	9095B
Q2218-01	72-11934	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/04/2025	9095B
Q2219-01	72-11995	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/04/2025	9095B
Q2223-01	HR-01-06042025	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/04/2025	9095B
Q2223-03	HR-04-06042025	Solid	Paint Filter	Cool 4 deg C	PSEG05	N31	06/04/2025	9095B
Q2224-01	EO-01-06042025	Solid	Paint Filter	Cool 4 deg C	PSEG05	N31	06/04/2025	9095B
Q2225-01	SU-03-06042025	Solid	Paint Filter	Cool 4 deg C	PSEG05	N31	06/04/2025	9095B
Q2226-01	TP06-MHI-WC	Solid	Paint Filter	Cool 4 deg C	PSEG05	N31	06/04/2025	9095B
Q2227-01	TP07-MHH-WC	Solid	Paint Filter	Cool 4 deg C	PSEG03	N42	06/04/2025	9095B
Q2228-01	TP08-MHI-WC	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	06/03/2025	9095B
Q2235-02	WC-A2-08-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	N41	06/04/2025	9095B

Date/Time 06/05/25 09:30
 Raw Sample Received by: 12609
 Raw Sample Relinquished by: 26609

Date/Time 06/05/25 14:10
 Raw Sample Received by: 26609
 Raw Sample Relinquished by: 12609

WORKLIST(Hardcopy Internal Chain)

LB136019

WorkList Name : PAINT FILTER-060525

WorkList ID : 189972

Department : Wet-Chemistry

Date : 06-05-2025 09:23:24

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2236-02	WC-A4-05A-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	N31	06/04/2025	9095B
Q2236-06	WC-A2-04-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	N31	06/04/2025	9095B
Q2236-10	WC-A2-05-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	N31	06/04/2025	9095B
Q2236-14	WC-A2-06-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	N31	06/04/2025	9095B
Q2236-18	WC-A2-07-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	N31	06/04/2025	9095B

Date/Time 06/05/25 09:30
 Raw Sample Received by: 12/20/25
 Raw Sample Relinquished by: [Signature]

Date/Time 06/05/25 14:10
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: 12/20/25

WORKLIST(Hardcopy Internal Chain)

LB136019

WorkList Name : PAINT FILTER-060525-2 WorkList ID : 189973 Department : Wet-Chemistry Date : 06-05-2025 12:05:59

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2240-01	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/04/2025	9095B
Q2240-05	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/04/2025	9095B
Q2240-09	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/05/2025	9095B
Q2241-01	TP-N	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	06/05/2025	9095B
Q2241-05	TP-S	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	06/05/2025	9095B

Date/Time 06/05/25 13:05
 Raw Sample Received by: 12(wc)
 Raw Sample Relinquished by: JPACG

Date/Time 06/05/25 14:10
 Raw Sample Received by: JPACG
 Raw Sample Relinquished by: 12(wc)