

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136086

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2271-01	TP12-MHK-WC	1	100.05	0.00	06/10/2025	10:30
2	Q2271-01DUP	TP12-MHK-WCDUP	1	100.02	0.00	06/10/2025	10:38
3	Q2272-01	TP-6	1	100.07	0.00	06/10/2025	10:45
4	Q2273-01	WC-4	1	100.01	0.00	06/10/2025	10:53
5	Q2273-05	WC-6	1	100.03	0.00	06/10/2025	11:00
6	Q2274-01	TP-13-MHP-WC	1	100.06	0.00	06/10/2025	11:08

WORKLIST(Hardcopy Internal Chain)

18136086

WorkList Name : PF-061025

WorkList ID : 190066

Department : Wet-Chemistry

Date : 06-10-2025 08:23:18

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2271-01	TP12-MHK-WC	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	06/07/2025	9095B
Q2272-01	TP-6	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	06/09/2025	9095B
Q2273-01	WC-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/09/2025	9095B
Q2273-05	WC-6	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	06/09/2025	9095B
Q2274-01	TP-13-MHP-WC	Solid	Paint Filter	Cool 4 deg C	PSEG03	N41	06/09/2025	9095B

Date/Time 06/10/25 08:35
 Raw Sample Received by: EM (WC)
 Raw Sample Relinquished by: [Signature]

Date/Time 06/16/25
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: EM (WC)