



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/12/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 06/11/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:14
Out Date: 06/12/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB136110

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
Q2282-01	GAS-AUD-0025-0095	1	1.00	1.00	2.00	2.00	100.0	wipe sample
Q2282-02	GAS-AUD-0025-0096	2	1.00	1.00	2.00	2.00	100.0	wipe sample
Q2283-01	MOO-25-0166-MOO-25-0167	3	1.18	10.57	11.75	10.37	86.9	
Q2283-02	MOO-25-0166-MOO-25-0167	4	1.18	10.16	11.34	10.00	86.8	
Q2283-03	PAD-061025	5	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
Q2284-01	TRE-GAS-25-0070	6	1.00	1.00	2.00	2.00	100.0	wipe sample
Q2285-04	HAM-CONCRETE	7	1.19	10.20	11.39	10.39	90.2	
Q2286-01	LAW-25-0082-LAW-250083	8	1.16	9.98	11.14	10.45	93.1	
Q2286-02	LAW-25-0082-LAW-250083	9	1.14	10.28	11.42	10.72	93.2	
Q2288-01	ETGI-329	10	1.15	10.84	11.99	1.75	5.5	GEL MARTIX
Q2295-01	TP01-MH1-WC	11	1.14	10.37	11.51	10.26	87.9	
Q2295-02	TP01-MH1-VOC	12	1.16	10.70	11.86	10.51	87.4	
Q2295-03	TP01-MH1-EPH	13	1.15	10.23	11.38	10.14	87.9	
Q2295-05	TP02-MH5-WC	14	1.13	10.46	11.59	10.6	90.5	
Q2295-06	TP02-MH5-VOC	15	1.17	10.80	11.97	11.3	93.8	
Q2295-07	TP02-MH5-EPH	16	1.13	10.80	11.93	10.89	90.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$