

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136115

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2278-01	TP-2	1	100.02	0.00	06/11/2025	10:35
2	Q2278-01DUP	TP-2DUP	1	100.06	0.00	06/11/2025	10:42
3	Q2280-01	VNJ-210	1	100.03	0.00	06/11/2025	10:50
4	Q2280-03	RT-4643	1	100.09	0.00	06/11/2025	10:57
5	Q2283-01	MOO-25-0166-MOO-25-0	1	100.01	0.00	06/11/2025	11:05
6	Q2285-04	HAM-CONCRETE	1	100.04	0.00	06/11/2025	11:12
7	Q2286-01	LAW-25-0082-LAW-2500	1	100.05	0.00	06/11/2025	11:20

WORKLIST(Hardcopy Internal Chain)

1B136115

WorkList Name : PF-061125

WorkList ID : 190096

Department : Wet-Chemistry

Date : 06-11-2025 08:56:14

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2278-01	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	06/10/2025	9095B
Q2280-01	VNJ-210	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	06/10/2025	9095B
Q2280-03	RT-4643	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	06/10/2025	9095B
Q2283-01	MOO-25-0166-MOO-25-0167	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	06/10/2025	9095B
Q2285-04	HAM-CONCRETE	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	06/10/2025	9095B
Q2286-01	LAW-25-0082-LAW-250083	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	06/10/2025	9095B

Date/Time 06/11/25 09:10
Raw Sample Received by: EM (WC)
Raw Sample Relinquished by: JWC

Date/Time 06/11/25 11:30
Raw Sample Received by: JWC
Raw Sample Relinquished by: EM (WC)