



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136283

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2414-01	WC-1	1	100.04	0.00	06/26/2025	08:25
2	Q2414-01DUP	WC-1DUP	1	100.01	0.00	06/26/2025	08:32
3	Q2415-01	WC-1	1	100.06	0.00	06/26/2025	08:40
4	Q2416-01	MH-G/H	1	100.02	0.00	06/26/2025	08:47
5	Q2419-01	EO-03-06252025	1	100.05	0.00	06/26/2025	08:55
6	Q2420-01	72-11933	1	100.03	0.00	06/26/2025	09:02
7	Q2423-01	RT915	1	100.07	0.00	06/26/2025	09:10

WORKLIST(Hardcopy Internal Chain)

1B136283

WorkList Name : PF-062625

WorkList ID : 190394

Department : Wet-Chemistry

Date : 06-26-2025 08:01:04

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2414-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG01	A33	06/25/2025	9095B
Q2415-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03		06/24/2025	9095B
Q2416-01	MH-G/H	Solid	Paint Filter	Cool 4 deg C	PSEG03	A42	06/25/2025	9095B
Q2419-01	EO-03-06252025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D51	06/25/2025	9095B
Q2420-01	72-11933	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	06/25/2025	9095B
Q2423-01	RT915	Solid	Paint Filter	Cool 4 deg C	PSEG03	D51	06/25/2025	9095B

Date/Time 06/26/25 08:15
 Raw Sample Received by: FM (WC)
 Raw Sample Relinquished by: JG (WC)

Date/Time 06/26/25 09:20
 Raw Sample Received by: JG (WC)
 Raw Sample Relinquished by: FM (WC)