



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136359

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2475-01	SOIL-PILE	1	100.06	0.00	07/02/2025	08:30
2	Q2478-01	WC-1	1	100.01	0.00	07/02/2025	08:38
3	Q2478-01DUP	WC-1DUP	1	100.03	0.00	07/02/2025	08:45

WORKLIST(Hardcopy Internal Chain)

1B 136359

WorkList Name : PF-070225

WorkList ID : 190500

Department : Wet-Chemistry

Date : 07-02-2025 08:10:30

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2475-01	SOIL-PILE	Solid	Paint Filter	Cool 4 deg C	PSEG03	A43	07/01/2025	9095B
Q2478-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	A42	07/30/2025	9095B

Date/Time 07/02/25 08:20
Raw Sample Received by: EM(WC)
Raw Sample Relinquished by: EM(WC)

Date/Time 07/02/25 09:55
Raw Sample Received by: EM(WC)
Raw Sample Relinquished by: EM(WC)