

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136406

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2517-01	TP-14	1	100.06	0.00	07/09/2025	09:40
2	Q2517-01DUP	TP-14DUP	1	100.06	0.00	07/09/2025	09:47
3	Q2519-01	TP-15	1	100.02	0.00	07/09/2025	09:54
4	Q2527-01	AR520-0015	1	100.04	0.00	07/09/2025	10:02

WORKLIST(Hardcopy Internal Chain)

6136406

WorkList Name : pf-7-09

WorkList ID : 190612

Department : Wet-Chemistry

Date : 07-09-2025 08:00:14

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2517-01	TP-14	Solid	Paint Filter	Cool 4 deg C	PSEG03	O23	07/07/2025	9095B
Q2519-01	TP-15	Solid	Paint Filter	Cool 4 deg C	PSEG03	O11	07/08/2025	9095B
Q2527-01	AR520-0015	Solid	Paint Filter	Cool 4 deg C	PSEG03	O22	07/08/2025	9095B

Date/Time 07/09/2025 08:05
 Raw Sample Received by: RM CWJ
 Raw Sample Relinquished by: JEC

Date/Time 07/09/2025 10:25
 Raw Sample Received by: JEC
 Raw Sample Relinquished by: RM CWJ