



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136424

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2537-01	TR-04-7.9-2025	1	100.05	0.00	07/10/2025	08:35
2	Q2537-01DUP	TR-04-7.9-2025DUP	1	100.02	0.00	07/10/2025	08:42
3	Q2539-01	HACKENSACK	1	100.04	0.00	07/10/2025	08:50
4	Q2542-01	VNJ-245	1	100.03	0.00	07/10/2025	08:57
5	Q2546-01	HD-02-7-9-2025	1	100.01	0.00	07/10/2025	09:05
6	Q2550-02	VNJ-203	1	100.06	0.00	07/10/2025	09:12
7	Q2551-02	VNJ-204	1	100.07	0.00	07/10/2025	09:20

WORKLIST(Hardcopy Internal Chain)

16136424

WorkList Name : PF-0710125

WorkList ID : 190625

Department : Wet-Chemistry

Date : 07-10-2025 08:13:20

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2537-01	TR-04-7-9-2025	Solid	Paint Filter	Cool 4 deg C	PSEG03	O33	07/09/2025	9095B
Q2539-01	HACKENSACK	Solid	Paint Filter	Cool 4 deg C	PSEG03	O32	07/09/2025	9095B
Q2542-01	VNJ-245	Solid	Paint Filter	Cool 4 deg C	PSEG03	O32	07/09/2025	9095B
Q2546-01	HD-02-7-9-2025	Solid	Paint Filter	Cool 4 deg C	PSEG05	O23	07/09/2025	9095B
Q2550-02	VNJ-203	Solid	Paint Filter	Cool 4 deg C	PSEG03	O41	07/09/2025	9095B
Q2551-02	VNJ-204	Solid	Paint Filter	Cool 4 deg C	PSEG03	O11	07/09/2025	9095B

Date/Time 07/10/25 08:25
 Raw Sample Received by: EM(wcy)
 Raw Sample Relinquished by: 7860004

Date/Time 07/10/25
 Raw Sample Received by: 7860004
 Raw Sample Relinquished by: EM(wcy)