

## Analytical Summary Report

**Analysis Method:** 9095B  
**Parameter:** Paint Filter  
**Run Number:** LB136444

**Reviewed By:** Eman  
**Supervisor Review By:** Iwona  
**BalanceID:** WC SC-7

| Seq | LabID       | ClientID             | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|----------------------|----------|-----------|------------------------|------------|-----------|
| 1   | Q2559-01    | 500-3B CONCRETE CHIP | 1        | 100.03    | 0.00                   | 07/11/2025 | 10:18     |
| 2   | Q2559-01DUP | 500-3B CONCRETE CHIP | 1        | 100.05    | 0.00                   | 07/11/2025 | 10:25     |
| 3   | Q2560-01    | LP-7102025           | 1        | 100.01    | 0.00                   | 07/11/2025 | 10:32     |
| 4   | Q2564-01    | ARS20-0030           | 1        | 100.04    | 0.00                   | 07/11/2025 | 10:40     |
| 5   | Q2564-03    | ARS20-0013           | 1        | 100.02    | 0.00                   | 07/11/2025 | 10:47     |
| 6   | Q2564-05    | ARS20-0039           | 1        | 100.06    | 0.00                   | 07/11/2025 | 10:55     |
| 7   | Q2571-01    | TP-18                | 1        | 100.03    | 0.00                   | 07/11/2025 | 11:02     |
| 8   | Q2571-05    | TP-17                | 1        | 100.01    | 0.00                   | 07/11/2025 | 11:10     |

# WORKLIST(Hardcopy Internal Chain)

16136444

WorkList Name : PF-071125      WorkList ID : 190655      Department : Wet-Chemistry      Date : 07-11-2025 08:12:57

| Sample   | Customer Sample      | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|----------------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| Q2559-01 | 500-3B CONCRETE CHIP | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | O31                         | 07/10/2025   | 9095B  |
| Q2560-01 | LP-7102025           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | O23                         | 07/10/2025   | 9095B  |
| Q2564-01 | ARS20-0030           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | O22                         | 07/10/2025   | 9095B  |
| Q2564-03 | ARS20-0013           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | O22                         | 07/10/2025   | 9095B  |
| Q2564-05 | ARS20-0039           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | O22                         | 07/10/2025   | 9095B  |
| Q2571-01 | TP-18                | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | O22                         | 07/10/2025   | 9095B  |
| Q2571-05 | TP-17                | Solid  | Paint Filter | Cool 4 deg C | PSEG03   |                             | 07/10/2025   | 9095B  |

Date/Time 07/11/25 08:26  
 Raw Sample Received by: EM(WC)  
 Raw Sample Relinquished by: JB(WC)

Date/Time 07/11/25 11:25  
 Raw Sample Received by: JB(WC)  
 Raw Sample Relinquished by: EM(WC)