



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB136491

Reviewed By: Eman
Supervisor Review By: Iwona
BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2611-01	EO-2-071525	1	100.04	0.00	07/16/2025	10:35
2	Q2611-01DUP	EO-2-071525DUP	1	100.06	0.00	07/16/2025	10:42
3	Q2612-01	OR-2-071525	1	100.01	0.00	07/16/2025	10:50
4	Q2614-01	HR-MCN-COMP-01	1	100.03	0.00	07/16/2025	10:58

WORKLIST(Hardcopy Internal Chain)

15136491

WorkList Name : PF-071625

WorkList ID : 190753

Department : Wet-Chemistry

Date : 07-16-2025 08:18:48

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2611-01	EO-02-071525	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	07/15/2025	9095B
Q2612-01	OR-02-071525	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	07/15/2025	9095B
Q2614-01	HR-MCN-COMP-01	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	07/15/2025	9095B

Date/Time 07/16/25 08:36
Raw Sample Received by: FM(WC)
Raw Sample Relinquished by: Mewen

Date/Time 07/16/25 11:15
Raw Sample Received by: J. L. L. L.
Raw Sample Relinquished by: FM(WC)