



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Iwona

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB136557

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2635-01	RT2286	1	100.05	0.00	07/21/2025	10:05
2	Q2635-01DUP	RT2286DUP	1	100.02	0.00	07/21/2025	10:13

WORKLIST(Hardcopy Internal Chain)

LB136557

WorkList Name : PF-072125

WorkList ID : 190853

Department : Wet-Chemistry

Date : 07-21-2025 09:33:20

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2635-01	RT2286	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	07/17/2025	9095B

Date/Time 07/21/25 09:50
 Raw Sample Received by: 12(wc)
 Raw Sample Relinquished by: [Signature]

Date/Time 07/21/25 10:30
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: 12(wc)