

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136581

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2668-01	TP-2	1	100.06	0.00	07/23/2025	08:30
2	Q2668-01DUP	TP-2DUP	1	100.06	0.00	07/23/2025	08:37
3	Q2668-05	TP-3	1	100.03	0.00	07/23/2025	08:45
4	Q2668-09	TP-1	1	100.07	0.00	07/23/2025	08:53
5	Q2674-01	TR-04-072225	1	100.03	0.00	07/23/2025	09:00

6136581

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-7-23

WorkList ID : 190905

Department : Wet-Chemistry

Date : 07-23-2025 08:08:29

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2668-01	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	07/21/2025	9095B
Q2668-05	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	07/21/2025	9095B
Q2668-09	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	07/21/2025	9095B
Q2674-01	TR-04-072225	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	07/22/2025	9095B

DateTime 07/23/2025 08:15
Raw Sample Received by: EM(wc)
Raw Sample Relinquished by: EM(wc)

DateTime 07/23/2025 10:45
Raw Sample Received by: EM(wc)
Raw Sample Relinquished by: EM(wc)