



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136605

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2675-01	SU-03-07222025	1	100.05	0.00	07/24/2025	08:40
2	Q2675-01DUP	SU-03-07222025DUP	1	100.05	0.00	07/24/2025	08:47
3	Q2676-01	HD-01-07222025	1	100.06	0.00	07/24/2025	08:52
4	Q2676-03	HD-02-07222025	1	100.02	0.00	07/24/2025	09:00
5	Q2677-01	OK-02-07222025	1	100.07	0.00	07/24/2025	09:08
6	Q2677-03	OK-03-07222025	1	100.04	0.00	07/24/2025	09:15

WORKLIST(Hardcopy Internal Chain)

6136605

WorkList Name : pf-07-24

WorkList ID : 190929

Department : Wet-Chemistry

Date : 07-24-2025 08:16:22

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2675-01	SU-03-07222025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	07/22/2025	9095B
Q2676-01	HD-01-07222025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	07/22/2025	9095B
Q2676-03	HD-02-07222025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	07/22/2025	9095B
Q2677-01	OK-02-07222025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	07/22/2025	9095B
Q2677-03	OK-03-07222025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	07/22/2025	9095B

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

07/24/2025 0825
EM(wcs)
JAC00101

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

07/24/2025 12:00
JAC00101
EM(wcs)