



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136612

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2684-01	PL-02-07232025	1	100.06	0.00	07/25/2025	10:05
2	Q2684-01DUP	PL-02-07232025DUP	1	100.02	0.00	07/25/2025	10:12
3	Q2687-01	VNJ-251	1	100.04	0.00	07/25/2025	10:19
4	Q2689-01	OR-03-07232025	1	100.03	0.00	07/25/2025	10:27
5	Q2691-01	295	1	100.01	0.00	07/25/2025	10:35
6	Q2691-07	299	1	100.05	0.00	07/25/2025	10:42

WORKLIST(Hardcopy Internal Chain)

1B136612.

WorkList Name : PF-072525

WorkList ID : 190954

Department : Wet-Chemistry

Date : 07-25-2025 09:44:36

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2684-01	PL-02-07232025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D21	07/23/2025	9095B
Q2687-01	VNJ-251	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	07/23/2025	9095B
Q2689-01	OR-03-07232025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	07/23/2025	9095B
Q2691-01	295	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	07/24/2025	9095B
Q2691-07	299	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	07/24/2025	9095B

Date/Time 07/25/25 09:55
 Raw Sample Received by: EM(wc)
 Raw Sample Relinquished by: M(wc)

Date/Time 07/25/25 11:00
 Raw Sample Received by: EM(wc)
 Raw Sample Relinquished by: EM(wc)