



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136631

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2700-01	EO-03-072525	1	100.08	0.00	07/28/2025	11:15
2	Q2700-01DUP	EO-03-072525DUP	1	100.08	0.00	07/28/2025	11:22
3	Q2703-01	TP-4	1	100.02	0.00	07/28/2025	11:29
4	Q2706-01	RT-5417	1	100.06	0.00	07/28/2025	11:37
5	Q2706-03	ETGI-361	1	100.07	0.00	07/28/2025	11:45

WORKLIST(Hardcopy Internal Chain)

6136631

WorkList Name : pf-7-28 WorkList ID : 190969 Department : Wet-Chemistry Date : 07-28-2025 08:18:17

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2700-01	EO-03-072525	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	07/25/2025	9095B
Q2703-01	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	07/25/2025	9095B
Q2706-01	RT-5417	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	07/25/2025	9095B
Q2706-03	ETGI-361	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	07/25/2025	9095B

Date/Time 07/28/2025 08:25
 Raw Sample Received by: RM CWG
 Raw Sample Relinquished by: [Signature]

Date/Time 07/28/2025 12:00
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: RM CWG