

Analysis Method: 9034

ANALYST: rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB136738

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3213
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB169147BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	08/07/2025	11:00
2	Q2773-01		1	5.07	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	08/07/2025	11:03
3	Q2773-02		1	5.02	50	2.00	0.00	1.86	1.86	0.14	0.06	4.78	08/07/2025	11:06
4	Q2773-03		1	5.01	50	2.00	0.00	1.90	1.90	0.10	0.02	1.60	08/07/2025	11:09
5	Q2779-04		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.06	4.77	08/07/2025	11:12
6	Q2779-08		1	5.07	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	08/07/2025	11:14
7	Q2780-04		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	08/07/2025	11:16
8	Q2780-08		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.06	4.73	08/07/2025	11:19
9	Q2783-03		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	08/07/2025	11:22
10	Q2783-03DUP		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	08/07/2025	11:25

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume