

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB136760

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q2793-01	VNJ-231	1	100.01	0.00	08/08/2025	13:20
2	Q2793-01DUP	VNJ-231DUP	1	100.03	0.00	08/08/2025	13:27
3	Q2798-01	TP-6	1	100.02	0.00	08/08/2025	13:35
4	Q2800-01	VNJ-222	1	100.05	0.00	08/08/2025	13:42
5	Q2801-01	TR-04-080725	1	100.04	0.00	08/08/2025	13:50

WORKLIST(Hardcopy Internal Chain)

16136760

WorkList Name : pf-8-08

WorkList ID : 191171

Department : Wet-Chemistry

Date : 08-08-2025 08:33:35

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2793-01	VNJ-231	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	08/07/2025	9095B
Q2798-01	TP-6	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	08/07/2025	9095B
Q2800-01	VNJ-222	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	08/07/2025	9095B
Q2801-01	TR-04-080725	Solid	Paint Filter	Cool 4 deg C	PSEG05	D21	08/07/2025	9095B

Date/Time 08/08/25 13:10
 Raw Sample Received by: EM(wc)
 Raw Sample Relinquished by: RB(wc)

Date/Time 08/08/25 14:10
 Raw Sample Received by: RB(wc)
 Raw Sample Relinquished by: EM(wc)