

Analytical Summary Report

Analysis Method: 1010B

Reviewed By: rubina

Parameter: Flash Point

Supervisor Review By: jignesh

Run Number: LB136982

Ambient Barometric Pressure (mmHg): 760.00

Thermometer ID: Flash Point

Barometric Scale ID: 0511064

Reagent/Standard	Lot/Log #
p-xylene (ICV)	W3194

Seq	LabID	True Value °F	DL	Initial Sample °C	Celsius °C	Result °F	Final Result °F	Anal Date	Anal Time
1	ICV	81	1	9	28.00	82.4	82.4	08/27/2025	12:15
2	Q2954-11		1	15	100.00	>212.0	>212.0	08/27/2025	12:45
3	Q2954-11DUP		1	15	100.00	>212.0	>212.0	08/27/2025	13:15
4	Q2955-02		1	12	100.00	>212.0	>212.0	08/27/2025	13:45
5	Q2961-01		1	14	100.00	>212.0	>212.0	08/27/2025	14:15

Result = (Celsius * 1.8) + 32

Final Result = Result + (760 - Ambient Barometric Pressure) * 0.06

WORKLIST(Hardcopy Internal Chain)

6136982

WorkList Name : FP0-8-27

WorkList ID : 191525

Department : Wet-Chemistry

Date : 08-27-2025 08:07:13

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2954-11	BRIDGE	Water	Flash Point	Cool 4 deg C	PSEG03	D41	08/25/2025	1010B
Q2955-02	OILY-WATER	Water	Flash Point	Cool 4 deg C	PSEG03	D41	08/25/2025	1010B
Q2961-01	4075	Water	Flash Point	Cool 4 deg C	PSEG03	D31	08/26/2025	1010B

Date/Time 08/27/2025 12:00
 Raw Sample Received by: RHGWD
 Raw Sample Relinquished by: RHGWD

Date/Time 08/27/2025 17:10
 Raw Sample Received by: RHGWD
 Raw Sample Relinquished by: RHGWD