

Analytical Summary Report

Analysis Method: 9095B

Parameter: Paint Filter

Run Number: LB137147

Reviewed By: rubina

Supervisor Review By: Iwona

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3048-01	VNJ-258	1	100.05	0.00	09/10/2025	13:20
2	Q3048-01DUP	VNJ-258DUP	1	100.05	0.00	09/10/2025	13:27
3	Q3054-01	MH-385	1	100.02	0.00	09/10/2025	13:35
4	Q3054-05	MH-384	1	100.07	0.00	09/10/2025	13:43
5	Q3055-01	OR-03-090925	1	100.07	0.00	09/10/2025	13:50
6	Q3056-01	OK-02-090925	1	100.02	0.00	09/10/2025	13:57
7	Q3059-01	TR-06-09092025	1	100.06	0.00	09/10/2025	14:05

WORKLIST(Hardcopy Internal Chain)

6637147

WorkList Name : PF-9-09

WorkList ID : 191767

Department : Wet-Chemistry

Date : 09-09-2025 14:02:10

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3048-01	VNJ-258	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	09/08/2025	9095B
Q3054-01	MH-385	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	09/08/2025	9095B
Q3054-05	MH-384	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	09/09/2025	9095B
Q3055-01	OR-03-090925	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	09/09/2025	9095B
Q3056-01	OK-02-090925	Solid	Paint Filter	Cool 4 deg C	PSEG05	D21	09/09/2025	9095B
Q3059-01	TR-06-09092025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	09/09/2025	9095B

Date/Time 09/16/2025 11:20
 Raw Sample Received by: RY CWC
 Raw Sample Relinquished by: JSC

Date/Time 09/16/2025 14:30
 Raw Sample Received by: JSC
 Raw Sample Relinquished by: RY CWC